

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through April 26, 2007

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 26, 2007

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	3	14	382	2,855	10,042	28,403	60,996	117,859	220,554
	3	-	42	568	3,871	14,242	46,160	117,678	252,450	435,011
	4	-	26	175	605	1,436	3,391	8,282	17,632	31,547
	5	-	2	8	41	141	205	498	692	1,587
	6	-	-	-	1	6	15	8	32	62
	7	-	-	-	-	-	-	-	-	-
TOTAL----		3	84	1,133	7,373	25,867	78,174	187,462	388,665	688,761
31	1-2	7	9	53	551	4,596	21,486	50,329	70,917	147,948
	3	1	45	393	3,822	32,952	193,169	628,300	1,248,526	2,107,208
	4	-	45	264	1,579	7,850	36,138	120,919	313,637	480,432
	5	-	20	86	161	1,175	4,947	13,541	18,696	38,626
	6	-	-	3	7	37	404	1,397	1,498	3,346
	7	-	-	-	2	-	15	62	50	129
TOTAL----		8	119	799	6,122	46,610	256,159	814,548	1,653,324	2,777,689
41	1-2	1	1	7	78	797	3,204	6,664	7,837	18,589
	3	-	9	97	1,455	13,837	91,272	341,941	741,768	1,190,379
	4	-	26	208	1,760	8,913	51,131	205,074	586,682	853,794
	5	-	33	102	641	2,563	11,776	32,407	70,779	118,301
	6	-	15	36	171	574	2,056	4,206	6,688	13,746
	7	-	-	8	18	96	279	520	625	1,546
TOTAL----		1	84	458	4,123	26,780	159,718	590,812	1,414,379	2,196,355
51	1-2	-	-	-	11	66	153	300	364	894
	3	-	-	6	70	867	4,308	12,862	25,257	43,370
	4	-	-	8	138	1,116	4,850	14,717	35,017	55,846
	5	-	-	11	67	400	1,999	5,235	9,992	17,704
	6	-	-	3	12	127	512	976	1,747	3,377
	7	-	-	2	7	55	149	108	191	512
TOTAL----		-	-	30	305	2,631	11,971	34,198	72,568	121,703
61	1-2	-	-	-	-	1	1	5	4	11
	3	-	-	-	6	16	81	133	213	449
	4	-	-	1	8	51	83	177	284	604
	5	-	-	-	11	31	37	59	135	273
	6	-	-	-	9	28	13	22	43	115
	7	-	-	-	-	1	1	3	3	8
TOTAL----		-	-	1	34	128	216	399	682	1,460
71	1-2	-	-	-	-	2	-	-	1	3
	3	-	-	-	-	-	3	2	6	11
	4	-	-	1	-	1	2	2	4	10
	5	-	-	-	-	1	-	1	2	4
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	1	-	1
TOTAL----		-	-	1	-	4	5	6	13	29
12 & 22	1-2	-	21	394	1,520	3,193	4,378	4,072	4,460	18,038
	3	2	185	1,048	2,586	5,687	8,295	9,820	12,711	40,334
	4	1	62	311	575	1,205	1,714	2,247	2,975	9,090
	5	-	14	51	86	223	456	374	310	1,514
	6	-	1	-	8	15	61	24	20	129
	7	-	-	-	-	-	5	-	-	5
TOTAL----		3	283	1,804	4,775	10,323	14,909	16,537	20,476	69,110
32	1-2	-	2	21	158	501	1,055	1,053	964	3,754
	3	6	95	381	1,468	6,493	16,514	25,177	31,925	82,059
	4	2	74	357	751	2,974	8,533	15,467	22,426	50,584
	5	-	41	164	323	582	1,247	1,800	2,511	6,668
	6	-	13	46	87	108	266	378	272	1,170
	7	-	7	5	17	35	57	56	25	202
TOTAL----		8	232	974	2,804	10,693	27,672	43,931	58,123	144,437
42	1-2	-	2	7	26	121	288	296	248	988
	3	-	9	85	530	3,033	9,591	17,530	25,232	56,010
	4	-	21	152	834	3,623	13,837	28,629	48,892	95,988
	5	-	23	109	376	1,137	3,528	6,773	12,590	24,536
	6	-	12	52	130	255	585	916	1,192	3,142
	7	-	2	14	54	101	212	248	153	784
TOTAL----		-	69	419	1,950	8,270	28,041	54,392	88,307	181,448
52	1-2	-	-	1	-	8	6	16	12	43
	3	-	-	7	23	78	345	747	1,202	2,402
	4	-	3	17	58	218	1,016	2,227	3,784	7,323
	5	1	19	35	54	132	488	1,358	2,217	4,304
	6	3	35	21	25	54	127	246	419	930
	7	3	38	5	16	37	66	74	89	328
TOTAL----		7	95	86	176	527	2,048	4,668	7,723	15,330

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 26, 2007

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	1	2	1	1	5
	3	-	-	-	-	2	7	17	29	55
	4	-	-	-	-	2	10	25	75	112
	5	-	-	1	-	1	1	13	58	74
	6	-	3	1	-	-	1	8	13	26
	7	3	3	2	-	7	5	1	2	23
TOTAL----		3	6	4	-	13	26	65	178	295
13 & 23	1-2	-	3	20	77	153	225	252	409	1,139
	3	1	17	71	165	456	698	851	1,220	3,479
	4	-	8	17	56	149	182	184	213	809
	5	-	1	2	16	48	72	49	26	214
	6	-	-	1	2	28	12	8	5	56
	7	-	-	-	-	-	5	-	-	5
TOTAL----		1	29	111	316	834	1,194	1,344	1,873	5,702
33	1-2	-	2	10	29	84	126	222	302	775
	3	2	55	107	253	725	1,466	2,617	4,519	9,744
	4	-	48	128	147	398	766	1,197	1,919	4,603
	5	1	25	110	86	103	220	302	323	1,170
	6	1	13	53	43	31	56	69	53	319
	7	-	1	5	13	19	13	10	5	66
TOTAL----		4	144	413	571	1,360	2,647	4,417	7,121	16,677
43	1-2	-	-	7	6	21	37	82	131	284
	3	-	9	21	56	385	1,529	3,751	7,140	12,891
	4	-	3	28	112	528	1,215	2,644	5,760	10,290
	5	-	36	70	70	154	324	572	816	2,042
	6	-	37	79	79	70	166	142	151	724
	7	-	13	31	44	22	47	45	39	241
TOTAL----		-	98	236	367	1,180	3,318	7,236	14,037	26,472
53	1-2	-	-	-	-	3	2	1	5	11
	3	-	-	1	4	43	121	319	616	1,104
	4	-	-	2	6	59	217	488	1,180	1,952
	5	-	1	1	11	39	68	210	410	740
	6	-	1	1	2	11	27	62	107	211
	7	-	1	2	7	5	21	25	13	74
TOTAL----		-	3	7	30	160	456	1,105	2,331	4,092
63	1-2	-	-	-	-	-	-	-	1	1
	3	-	-	-	-	-	3	7	7	17
	4	-	-	-	-	1	3	10	45	59
	5	-	-	-	-	-	-	5	16	21
	6	-	1	-	-	1	3	3	9	17
	7	-	-	-	-	-	2	-	2	4
TOTAL----		-	1	-	-	2	11	25	80	119
24-54	1-7	-	8	47	138	454	1,088	2,262	4,080	8,077
25-35	1-7	-	-	-	-	2	1	-	4	7
81-85 1/	1-7	1	11	4	9	36	113	274	526	974
All Colors	8 2/	3	16	16	29	195	352	486	340	1,437
TOTAL, ALL----		42	1,282	6,543	29,122	136,069	588,119	1,764,167	3,734,830	6,260,174

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 26, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	TOTAL
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	210,625	297,686	280,894	76,416	30,806	10,203	1,127,184
	3	442,904	613,011	682,791	195,136	52,440	13,895	2,435,188
	4	37,375	56,687	62,605	20,000	6,057	981	215,252
	5	1,274	1,849	1,882	467	82	11	7,152
	6	35	56	50	6	1	-	210
	7	1	-	1	-	-	-	2
	TOTAL----	692,214	969,289	1,028,223	292,025	89,386	25,090	3,784,988
31	1-2	77,676	79,975	69,760	28,430	22,683	10,077	436,549
	3	1,374,652	984,331	651,922	188,125	78,316	35,313	5,419,867
	4	571,327	572,177	375,043	91,442	25,855	6,389	2,122,665
	5	29,593	38,344	36,131	9,944	2,530	502	155,670
	6	1,485	2,029	1,926	532	81	11	9,410
	7	51	77	83	13	3	-	356
	TOTAL----	2,054,784	1,676,933	1,134,865	318,486	129,468	52,292	8,144,517
41	1-2	6,088	3,791	1,415	456	265	142	30,746
	3	842,018	489,661	165,185	16,359	5,591	2,461	2,711,654
	4	1,082,342	1,003,041	491,875	63,823	8,946	1,392	3,505,213
	5	130,362	152,695	110,276	22,985	3,866	674	539,159
	6	9,923	12,036	11,233	2,892	623	48	50,501
	7	859	1,012	1,046	275	159	13	4,910
	TOTAL----	2,071,592	1,662,236	781,030	106,790	19,450	4,730	6,842,183
51	1-2	272	190	41	3	-	-	1,400
	3	28,658	18,974	6,008	505	26	8	97,549
	4	62,987	62,567	31,898	3,893	102	641	217,934
	5	16,558	17,674	12,099	2,290	211	20	66,556
	6	2,892	3,073	2,044	395	54	9	11,844
	7	394	744	559	42	15	7	2,273
	TOTAL----	111,761	103,222	52,649	7,128	574	59	397,096
61	1-2	5	2	2	-	-	-	20
	3	303	212	51	6	4	1	1,026
	4	394	465	441	35	4	-	1,943
	5	153	120	165	15	1	-	727
	6	31	33	12	2	1	-	194
	7	6	4	5	-	1	-	24
	TOTAL----	892	836	676	58	11	1	3,934
71	1-2	-	1	1	-	-	-	5
	3	7	7	2	-	-	-	27
	4	4	22	16	2	-	-	54
	5	1	6	29	2	-	-	42
	6	-	-	3	-	-	-	3
	7	-	-	-	-	-	-	1
	TOTAL----	12	36	51	4	-	-	132
12 & 22	1-2	5,699	5,396	2,813	459	89	31	32,525
	3	18,127	17,149	10,701	1,927	381	138	88,757
	4	4,657	4,871	2,845	616	77	7	22,163
	5	479	392	290	37	5	1	2,718
	6	24	14	4	-	-	-	171
	7	-	-	-	-	-	-	5
	TOTAL----	28,986	27,822	16,653	3,039	552	177	146,339
32	1-2	989	738	898	377	215	90	7,061
	3	30,849	22,058	13,321	3,211	1,673	1,038	154,209
	4	27,407	20,996	12,102	2,600	809	383	114,881
	5	3,881	3,497	2,318	424	143	84	17,015
	6	382	363	272	51	3	2	2,243
	7	29	13	15	2	3	-	264
	TOTAL----	63,537	47,665	28,926	6,665	2,846	1,597	295,673
42	1-2	168	121	101	64	46	17	1,505
	3	25,889	17,529	6,377	833	544	227	107,409
	4	62,371	52,757	25,721	2,898	666	248	240,649
	5	15,839	14,736	9,450	1,527	324	108	66,520
	6	1,689	1,569	1,297	230	32	14	7,973
	7	237	199	168	35	1	2	1,426
	TOTAL----	106,193	86,911	43,114	5,587	1,613	616	425,482
52	1-2	10	5	8	-	1	1	68
	3	1,755	1,520	642	61	8	1	6,389
	4	5,943	6,480	4,223	449	22	3	24,443
	5	3,003	3,236	2,473	471	54	9	13,550
	6	597	608	467	77	15	3	2,697
	7	164	197	187	17	3	-	896
	TOTAL----	11,472	12,046	8,000	1,075	103	17	48,043

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through April 26, 2007

QUALITY	LEAF	STAPLE						
		35	36	37	38	39	40 &+	35 to 40+
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	-	1	-	-	-	2
	3	30	20	15	2	2	-	69
	4	258	496	503	82	3	-	1,342
	5	111	245	205	33	-	-	594
	6	21	15	4	-	-	-	40
	7	26	4	2	1	-	-	33
TOTAL----		447	780	730	118	5	-	2,080
13 & 23	1-2	540	552	455	56	4	-	1,607
	3	1,701	1,795	1,165	202	22	1	4,886
	4	317	301	143	55	10	-	826
	5	42	26	16	2	-	-	86
	6	2	1	-	-	-	-	3
	7	-	-	-	-	-	-	-
TOTAL----		2,602	2,675	1,779	315	36	1	7,408
33	1-2	330	382	393	66	16	25	1,212
	3	6,358	6,418	4,976	965	238	82	19,037
	4	3,059	3,340	2,432	530	148	29	9,538
	5	488	411	308	60	12	2	1,281
	6	60	45	35	11	2	-	153
	7	3	-	5	-	-	-	8
TOTAL----		10,298	10,596	8,149	1,632	416	138	31,229
43	1-2	117	68	42	5	3	4	239
	3	7,601	5,687	2,882	448	142	48	16,808
	4	8,624	9,146	5,858	924	187	98	24,837
	5	1,145	1,358	941	171	33	59	3,707
	6	176	218	128	26	3	17	568
	7	45	40	12	1	-	4	102
TOTAL----		17,708	16,517	9,863	1,575	368	230	46,261
53	1-2	7	1	8	-	-	-	16
	3	731	617	265	23	5	2	1,643
	4	1,946	1,985	1,116	173	27	1	5,248
	5	503	728	538	92	12	-	1,873
	6	106	113	102	3	3	1	328
	7	11	33	26	3	-	-	73
TOTAL----		3,304	3,477	2,055	294	47	4	9,181
63	1-2	1	2	2	-	-	-	5
	3	14	21	9	1	1	1	47
	4	96	131	203	52	-	-	482
	5	36	59	112	11	-	-	218
	6	10	2	9	1	-	-	22
	7	1	1	9	-	-	-	11
TOTAL----		158	216	344	65	1	1	785
24-54	1-7	4,405	3,809	2,388	440	70	47	11,159
25-35	1-7	19	21	1	1	-	-	42
81-85 1/	1-7	592	379	225	46	2	1	1,245
All Colors	8 2/	224	247	210	50	1	-	732
TOTAL, ALL----		5,181,200	4,625,713	3,119,931	745,393	244,949	85,001	14,002,187
EXTRANEEOUS MATTER		Average Staple -----						
		Percent Tenderable -----						
Bark - Level 1		1,182,307						35.2
Bark - Level 2		127						70.4
Grass - Level 1		98,345						
Grass - Level 2		1,187						
Prep - Level 1		25,908						
Prep - Level 2		247						
Other - Level 1		8,709						
Other - Level 2		33						

20,262,361 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	*	0.1	0.3	0.6	1.0	1.5	1.4	0.4	0.2	*	5.6
	3	-	*	*	*	0.1	0.2	0.6	1.2	2.2	3.0	3.4	1.0	0.3	0.1	12.0
	4	-	*	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		*	*	*	*	0.1	0.4	0.9	1.9	3.4	4.8	5.1	1.4	0.4	0.1	18.7
31	1-2	*	*	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.1	0.1	*	2.2
	3	*	*	*	*	0.2	1.0	3.1	6.2	6.8	4.9	3.2	0.9	0.4	0.2	26.7
	4	-	*	*	*	*	0.2	0.6	1.5	2.8	2.8	1.9	0.5	0.1	*	10.5
	5	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	0.8
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	0.2	1.3	4.0	8.2	10.1	8.3	5.6	1.6	0.6	0.3	40.2
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.1	0.5	1.7	3.7	4.2	2.4	0.8	0.1	*	*	13.4
	4	-	*	*	*	*	0.3	1.0	2.9	5.3	5.0	2.4	0.3	*	*	17.3
	5	-	*	*	*	*	0.1	0.2	0.3	0.6	0.8	0.5	0.1	*	*	2.7
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	0.1	0.8	2.9	7.0	10.2	8.2	3.9	0.5	0.1	*	33.8
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.2	*	*	*	1.1
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.4	0.6	0.5	0.3	*	*	*	2.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.7
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	0.1	*	*	*	0.8
	4	*	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.5
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.1	0.2	0.3	0.3	0.1	*	*	*	1.2
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	*	*	*	2.1
52	1-2	-	-	*	-	*	*	*	*	*	*	*	-	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2

* Less than 0.05 percent.

Table 2. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	-	-	*	*	*	*	*	*	*	-	-	*
	7	*	*	*	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
	TOTAL----	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
53	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	*	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	TOTAL----	-	*	-	-	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	*	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL----		*	*	*	0.1	0.7	2.9	8.7	18.4	25.6	22.8	15.4	3.7	1.2	0.4	100.0
EXTRANEIOUS MATTER		Average Staple														35.2
		Percent Tenderable														70.4
Bark - Level 1		5.8														
Bark - Level 2		*														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

20,262,361 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- *Alabama* : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	-	1.0
	3	-	-	*	*	0.1	0.4	0.6	0.9	0.7	0.2	*	*	*	-	3.1
	4	-	-	-	*	*	*	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.2	0.6	0.9	1.3	0.9	0.3	0.1	*	*	-	4.3
31	1-2	-	-	*	*	0.1	0.4	0.7	0.6	0.2	*	*	-	-	-	1.9
	3	-	-	*	0.1	0.9	3.7	8.4	11.7	7.8	2.4	0.5	*	*	-	35.6
	4	-	*	*	*	0.2	0.7	1.6	2.7	2.6	1.1	0.3	*	*	-	9.3
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.1	1.2	4.8	10.8	15.1	10.7	3.6	0.8	*	*	*	47.2
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	-	0.3
	3	-	*	*	0.1	0.6	2.4	5.7	7.3	4.4	1.3	0.2	*	-	-	22.0
	4	-	-	*	0.1	0.4	1.1	2.8	4.3	3.6	1.5	0.5	*	*	-	14.3
	5	-	-	*	*	0.1	0.2	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.2	1.0	3.7	8.9	12.1	8.4	3.1	0.8	0.1	*	-	38.3
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	-	-	0.6
	4	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	-	-	1.4
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	*	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	-	0.3
	4	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	-	-	0.5
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	0.1	0.4	0.7	0.6	0.4	0.2	*	*	*	*	-	2.4
	4	-	*	*	*	0.2	0.4	0.4	0.2	0.1	*	*	*	-	-	1.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.6	1.2	1.0	0.6	0.3	0.1	*	*	*	-	4.0
42	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	*	-	1.4
	4	-	*	*	*	0.2	0.3	0.4	0.4	0.2	0.1	*	*	-	-	1.7
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	0.1	0.4	0.7	0.9	0.7	0.4	0.1	*	*	*	-	3.3
52	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 3. -- **Alabama** : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	*	*	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	*	0.1	*	*	*	*	*	*	*	-	0.3
43	1-2	-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	-
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	*	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL----		-	*	0.1	0.6	3.8	11.6	23.2	30.4	21.1	7.4	1.8	0.1	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	1.3															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.2															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

668,672 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	1.8	6.5	11.6	11.5	2.7	0.6	0.1	34.9
	3	-	-	-	-	*	*	0.1	0.6	2.4	5.5	7.5	2.3	0.7	0.1	19.3
	4	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	2.5	9.0	17.3	19.3	5.2	1.3	0.1	55.0
31	1-2	-	-	-	-	*	*	0.1	0.7	2.9	4.7	4.0	0.9	0.2	*	13.6
	3	-	-	-	-	*	*	0.1	0.7	3.0	6.3	7.0	2.3	0.6	0.1	20.1
	4	-	-	-	-	*	*	0.1	0.4	0.6	0.8	0.9	0.4	0.1	*	3.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.3	1.9	6.5	11.8	12.0	3.7	1.0	0.1	37.5
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
	3	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.3	0.2	*	*	*	1.6
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.2	0.7	0.9	0.7	0.4	0.2	*	*	3.2
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	1.0
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.2	0.7	0.7	0.2	*	*	-	1.8
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	-	1.0
42	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 4. — **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
43	1-2	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	*	*	0.2	1.1	5.9	17.8	31.1	32.2	9.1	2.4	0.3	100.0
EXTRANEEOUS MATTER																
																Average Staple 36.2
Bark - Level 1		4.6														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		0.3														
Other - Level 2		*														

521,447 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	3	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.2	*	*	-	1.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	0.1	0.4	0.8	0.6	0.2	*	*	-	2.1
31	1-2	-	-	-	-	*	*	0.1	0.3	0.3	0.1	*	*	-	-	0.8
	3	-	-	-	*	*	0.1	0.8	4.6	9.7	7.6	2.7	0.1	*	*	25.7
	4	-	-	-	*	*	*	0.2	1.3	4.9	5.6	2.3	0.1	*	*	14.4
	5	-	-	-	*	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	1.1	6.2	15.0	13.5	5.0	0.2	*	*	41.3
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	*	0.1	0.7	3.1	5.9	4.2	1.2	*	*	-	15.3
	4	-	-	-	*	*	0.1	0.6	3.4	11.3	11.6	3.9	0.2	*	*	31.3
	5	-	-	-	-	*	*	0.1	0.4	1.0	1.4	0.7	0.1	*	*	3.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	*	*	0.2	1.5	7.0	18.3	17.3	5.8	0.3	*	*	50.5
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.4
	4	-	-	-	-	*	*	*	0.1	0.5	0.6	0.2	*	-	-	1.5
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.3	0.8	0.9	0.3	*	*	*	2.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	*	*	0.1	0.1	0.3	0.4	0.3	0.1	*	*	-	1.4
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.2	*	*	*	2.3
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	*	*	*	*	*	*	0.2

* Less than 0.05 percent.

Table 5. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER		Average Staple														35.4
Bark - Level 1		Percent Tenderable														85.0
Bark - Level 2																
Grass - Level 1																
Grass - Level 2																
Prep - Level 1																
Prep - Level 2																
Other - Level 1																
Other - Level 2																

2,417,026 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **California** : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.3	0.8	2.2	4.2	5.9	4.0	3.0	1.2	21.7
	3	-	-	-	-	*	*	0.1	0.3	0.8	2.7	6.1	3.0	1.8	1.2	15.9
	4	-	-	-	-	-	-	*	*	*	*	0.2	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.3	1.1	3.0	6.9	12.2	7.0	4.8	2.5	37.9
31	1-2	-	-	-	-	*	*	0.2	0.6	1.6	2.3	3.1	2.5	2.7	1.3	14.4
	3	-	-	-	-	*	*	0.1	0.4	1.3	4.5	10.0	7.6	6.6	4.2	34.6
	4	-	-	-	-	-	-	*	0.1	0.2	0.4	1.7	1.2	0.7	0.4	4.8
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.3	1.1	3.0	7.3	15.0	11.4	10.1	5.9	54.2
41	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.6	0.6	0.3	2.6
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.3	0.3	0.1	1.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.3	0.1	0.1	*	0.8
	6	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	*	0.3	0.6	0.9	1.5	1.1	1.0	0.5	5.9
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
61	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	0.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	0.9
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	0.1	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	0.1	0.5
52	1-2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 6. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	-	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1-2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	0.1	0.7	2.5	6.7	15.4	29.1	20.0	16.4	9.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.9														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

780,011 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	-	-	0.3
	3	-	-	-	-	*	*	0.2	0.6	0.7	0.4	0.1	-	-	-	2.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.3	0.8	0.9	0.5	0.1	-	-	-	2.6
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.3	3.0	12.7	17.4	5.9	1.2	*	-	-	40.4
	4	-	-	-	-	*	*	0.2	1.5	3.2	2.1	0.6	*	-	-	7.6
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.3	3.4	14.6	20.8	8.0	1.8	*	-	-	48.9
41	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.2	3.0	11.7	12.9	3.1	0.5	*	-	-	31.5
	4	-	-	-	-	*	*	0.7	3.5	6.9	2.7	0.5	*	-	-	14.4
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.3	3.8	15.4	19.9	5.9	1.1	*	-	-	46.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	-	0.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	-	-	*	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	*	*	0.1	0.8	7.7	31.4	42.2	14.7	3.0	0.1	-	-	100.0
EXTRANEEOUS MATTER		Average Staple 34.7 Percent Tenderable 79.3														
Bark - Level 1		0.9														
Bark - Level 2		-														
Grass - Level 1		0.4														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

148,120 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.1	0.5	0.8	0.5	0.1	*	*	-	-	2.0
	4	-	-	-	-	*	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	0.2	0.6	0.9	0.6	0.1	*	*	-	-	2.4
31	1-2	-	-	*	*	*	0.1	0.3	0.4	0.1	*	*	*	-	-	1.0
	3	-	-	*	*	0.3	1.7	7.1	14.8	11.4	3.5	0.6	*	*	-	39.4
	4	-	-	*	*	*	0.1	0.5	1.6	2.4	1.5	0.5	*	*	*	6.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	0.3	2.0	7.9	16.8	14.0	5.0	1.1	*	*	*	47.2
41	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.2	1.1	5.0	10.4	8.4	2.5	0.4	*	*	*	28.0
	4	-	-	*	*	0.1	0.3	1.7	4.8	6.3	3.2	1.0	*	*	-	17.4
	5	-	-	-	*	*	*	0.1	0.3	0.4	0.3	0.2	*	*	-	1.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	0.2	1.5	6.8	15.5	15.1	6.0	1.7	0.1	*	*	46.9
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.6	0.5	0.2	0.1	*	*	-	1.8
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	*	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
42	1-2	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 8. -- **Georgia** : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	*	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	-	*	*	*	*	-	*	-	-	-	-	*
33	1-2	-	-	-	*	*	-	*	*	*	*	-	-	-	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	*	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	*	*	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	-	*	*	*	*	*	*	*	*	*	*	-	0.1
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	*	*	0.1	0.6	4.0	16.0	34.2	30.4	11.6	2.9	0.1	*	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.7														
Bark - Level 2		*														
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

2,284,283 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.5	0.4	0.2	0.1	*	*	*	-	1.4
	3	-	*	*	*	0.2	0.4	1.2	1.8	2.5	1.0	0.4	0.1	*	*	7.7
	4	-	*	*	*	0.1	0.2	0.4	0.4	0.9	0.4	0.1	*	-	-	2.5
	5	-	*	-	-	*	*	0.1	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	*	*	0.1	0.2	0.7	2.2	2.8	3.7	1.5	0.5	0.1	*	*	11.8
31	1-2	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	3	-	*	*	0.1	0.4	1.4	2.8	4.0	4.4	2.9	1.8	0.3	*	-	18.2
	4	-	*	0.1	0.3	1.0	2.7	6.0	3.5	3.5	2.2	1.1	0.3	*	-	20.7
	5	-	*	*	*	0.4	1.5	5.5	3.2	1.4	0.9	0.3	0.1	*	-	13.5
	6	-	-	*	*	*	0.2	0.8	0.7	0.2	0.2	*	*	*	-	2.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	0.1
	TOTAL----	-	*	0.2	0.5	1.9	5.9	15.4	11.7	9.5	6.3	3.3	0.7	*	-	55.5
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.4	0.4	0.3	0.2	0.1	*	-	-	1.7
	4	-	*	*	0.1	0.2	0.4	0.9	1.0	0.9	0.6	0.2	*	-	-	4.5
	5	-	*	*	0.2	0.4	0.9	1.8	1.5	0.9	0.7	0.2	*	*	-	6.6
	6	-	*	*	0.1	0.2	0.7	1.1	0.9	0.4	0.3	*	*	*	-	3.7
	7	-	-	*	*	*	0.2	0.3	0.2	*	*	*	*	-	-	0.9
	TOTAL----	-	*	*	0.4	0.9	2.4	4.5	4.0	2.6	1.9	0.6	0.1	*	-	17.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	0.2	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	*	*	*	0.1	*	*	*	*	-	-	-	-	0.1
	TOTAL----	-	-	*	*	*	0.1	*	*	*	*	*	-	-	-	0.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	*	*	*	*	*	*	*	*	0.2
	3	-	-	-	*	*	0.1	0.3	0.2	0.1	*	0.1	0.1	*	*	1.0
	4	-	-	*	*	*	*	0.1	*	0.1	*	*	*	*	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.2	0.4	0.2	0.3	0.1	0.1	0.1	*	*	1.5
32	1-2	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	0.2
	3	-	-	*	*	*	0.1	0.3	0.4	0.8	0.7	0.4	0.2	*	*	3.0
	4	-	-	*	*	*	0.1	0.3	0.3	0.5	0.3	0.2	0.1	*	*	1.9
	5	-	-	*	*	0.1	0.1	0.2	0.1	0.2	0.1	0.1	*	*	-	1.0
	6	-	-	-	*	*	0.1	0.2	*	*	*	*	*	*	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	0.1	0.1	0.4	1.0	0.8	1.5	1.2	0.8	0.4	0.1	*	6.5
42	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	4	-	*	*	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	0.6
	5	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	*	*	*	-	0.8
	6	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.6
	7	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	0.3
	TOTAL----	-	*	*	*	0.1	0.3	0.5	0.4	0.5	0.4	0.2	0.1	*	-	2.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	*	*	*	0.1	*	*	*	-	-	-	-	0.1

* Less than 0.05 percent.

Table 9. -- **Kansas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	0.1	0.1	0.1	0.2	0.2	0.1	0.1	*	-	1.0
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	*	0.1	0.2	0.3	0.3	0.3	0.3	0.2	0.1	*	-	1.8
43	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	0.1	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.2	0.2	0.2	*	*	-	1.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	0.1	0.2	0.1	*	0.1	0.1	*	*	-	0.5
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.7
TOTAL, ALL-----		-	0.1	0.2	1.2	3.5	10.6	25.0	20.6	18.8	12.0	6.0	1.6	0.2	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1	15.8															Average Staple 34.1
Bark - Level 2	-															Percent Tenderable 44.7
Grass - Level 1	0.1															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.1															
Other - Level 1	-															

116,547 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- **Louisiana**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	0.7	0.6	0.3	0.1	*	*	-	-	2.0
	3	-	-	-	*	0.1	0.5	1.4	1.8	1.0	0.4	0.1	*	-	-	5.4
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.8	2.2	2.5	1.3	0.5	0.1	*	*	-	7.5
31	1-2	-	-	-	*	0.1	0.3	0.9	0.8	0.3	0.1	*	*	-	-	2.4
	3	-	-	-	*	0.4	3.4	11.2	15.2	9.2	3.3	0.7	*	*	-	43.6
	4	-	-	-	*	*	0.3	1.2	2.5	2.7	1.5	0.5	*	*	-	8.8
	5	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	0.6	4.1	13.3	18.6	12.3	5.0	1.3	0.1	*	*	55.2
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	0.1	0.8	3.4	5.4	3.4	1.1	0.2	*	*	-	14.3
	4	-	-	-	*	*	0.3	1.5	3.6	4.1	2.2	0.7	0.1	*	-	12.5
	5	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.2	0.1	*	*	1.7
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	*	*
TOTAL----		-	-	-	*	0.2	1.2	5.1	9.4	8.0	3.7	1.2	0.1	*	*	28.8
51	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.2	0.1	*	-	*	1.3
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.7	0.7	0.3	0.2	*	*	*	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	-	-	0.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	1.5
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	4	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	*	1.4
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	*	2.4
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3

* Less than 0.05 percent.

Table 10. -- *Louisiana* : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY		LEAF	STAPLE														TOTAL
COLOR			26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
62	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	-	
	3	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*	
	4	-	-	-	-	-	*	*	*	*	-	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
TOTAL-----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2	
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6	
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4	
	5	-	-	-	*	*	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	*	*	*	0.1	0.3	0.3	0.1	*	*	*	-	1.0	
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL-----		-	-	-	-	-	-	-	*	-	*	*	-	-	-	*	
24-54	1-7	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	*	-	0.4	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	*	0.9	6.4	21.8	33.1	24.1	10.4	3.0	0.3	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	34.2
																Percent Tenderable	69.5
Bark - Level 1		0.1															
Bark - Level 2		-															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		0.1															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		-															

1,256,997 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- *Mississippi*: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	-	-	-	1.4
	3	-	-	*	*	0.1	0.5	1.1	1.5	1.0	0.3	*	*	-	-	4.6
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	*	*	0.1	0.8	1.7	2.0	1.2	0.4	*	*	-	-	6.3
31	1-2	-	-	*	*	0.1	0.3	0.5	0.4	0.2	*	*	*	-	-	1.6
	3	-	-	*	*	0.4	2.5	6.3	9.0	6.5	2.2	0.4	*	*	-	27.3
	4	-	-	-	*	0.1	0.5	1.7	3.5	3.8	1.8	0.4	*	*	*	11.9
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	0.5	3.4	8.5	13.1	10.7	4.2	0.9	*	*	*	41.4
41	1-2	-	-	-	*	*	0.1	0.1	*	-	-	-	-	-	-	0.2
	3	-	-	-	*	0.2	1.4	3.5	4.7	2.9	0.8	0.2	*	*	-	13.8
	4	-	-	*	*	0.1	1.1	3.6	7.2	7.1	3.1	0.7	0.1	*	*	23.0
	5	-	-	*	*	*	0.3	0.7	1.2	1.4	0.8	0.3	*	*	-	4.8
	6	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.4	2.8	8.0	13.3	11.6	4.8	1.2	0.1	*	*	42.3
51	1-2	-	-	-	*	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	-	0.3
	4	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.2	0.4	0.5	0.4	0.2	*	*	*	-	1.7
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	*	*	*	*	*	-	-	-	0.2
32	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	*	*	0.1	0.3	0.4	0.3	0.1	*	*	*	-	-	1.3
	4	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.5	0.7	0.7	0.4	0.1	*	*	-	-	2.5
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*	-	-	1.0
	4	-	-	*	*	0.1	0.3	0.7	0.8	0.6	0.2	*	*	-	-	2.6
	5	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	0.9
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.1	0.6	1.1	1.4	0.9	0.3	*	*	-	-	4.6
52	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	-	0.4

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
33	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
53	1-2	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	*	*
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	-	-	-	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	*	0.1	1.4	8.5	20.8	31.4	25.5	10.0	2.3	0.1	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		0.5														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

2,029,390 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- *Missouri*: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
31	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	*	0.4	3.1	6.5	3.9	0.3	*	-	14.2
	4	-	-	-	-	*	*	*	0.1	1.3	4.3	3.5	0.2	*	*	9.4
	5	-	-	-	*	*	*	-	*	*	0.1	0.1	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.6	4.4	11.0	7.5	0.5	*	*	24.0
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.9	5.2	9.5	5.0	0.3	*	*	21.0
	4	-	-	-	-	*	*	*	0.5	4.7	16.0	14.4	1.7	0.2	*	37.5
	5	-	-	-	-	-	-	*	*	0.2	1.1	1.8	0.3	*	*	3.4
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	1.4	10.2	26.6	21.3	2.3	0.2	*	62.1
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.4	0.6	0.3	*	*	-	1.4
	4	-	-	-	-	-	*	*	0.1	0.5	1.6	1.1	0.1	-	-	3.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.2	1.0	2.4	1.6	0.2	*	*	5.3
61	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	-	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	-	*	*	*	0.2	0.3	0.3	*	*	*	0.9
42	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.5	0.6	0.2	*	*	-	1.5
	4	-	-	-	-	*	*	*	0.1	0.6	1.4	0.8	0.1	*	*	3.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	1.2	2.1	1.2	0.1	*	*	*	4.9
52	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	0.2	0.4	0.2	*	-	-	0.8

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
33	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2
43	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.4	0.3	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	0.2
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL, ALL----		-	-	-	*	*	*	0.1	2.6	17.6	43.7	32.5	3.2	0.3	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		*														
Grass - Level 2		-														
Prep - Level 1		0.6														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

994,113 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	0.2	1.1	4.6	5.8	1.4	0.2	*	13.3
	3	-	-	-	-	-	*	-	0.2	0.8	2.8	7.5	3.6	1.0	0.1	15.9
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.3	0.4	0.3	0.1	1.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.5	2.0	7.5	13.5	5.4	1.6	0.2	30.6
31	1-2	-	-	-	-	-	-	-	0.1	1.0	3.4	5.9	1.5	0.2	*	12.2
	3	-	-	-	-	-	-	*	0.6	2.0	7.2	18.5	9.1	2.6	0.3	40.3
	4	-	-	-	-	-	-	*	0.3	0.5	1.1	3.1	2.7	1.7	0.6	10.0
	5	-	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	0.1	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	1.0	3.6	12.0	27.8	13.5	4.6	1.0	63.5
41	1-2	-	-	-	-	-	-	*	*	*	*	0.1	0.1	-	-	0.3
	3	-	-	-	-	-	-	*	*	0.1	0.5	0.7	0.4	0.2	*	1.9
	4	-	-	-	-	-	-	*	*	0.2	0.8	0.6	0.6	0.4	0.1	2.7
	5	-	-	-	-	-	-	-	*	*	0.2	0.2	0.2	0.1	0.1	0.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.4	1.5	1.6	1.3	0.7	0.3	5.8
51	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*

* Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY		LEAF	STAPLE														
COLOR			26 ■ -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----			-	-	-	-	-	*	0.1	1.6	6.0	21.0	43.0	20.2	6.8	1.5	100.0
EXTRANEIOUS MATTER																	
Bark - Level 1			2.1														
Bark - Level 2			-														
Grass - Level 1			0.6														
Grass - Level 2			*														
Prep - Level 1			*														
Prep - Level 2			-														
Other - Level 1			0.1														
Other - Level 1			-														

39,338 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- **North Carolina** : Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
31	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	0.1	0.6	2.5	4.2	2.6	0.7	0.1	*	*	10.7
	4	-	-	-	*	*	0.1	0.9	2.2	1.9	0.7	0.1	*	*	*	6.0
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	*	*	*	0.1	0.8	3.5	6.5	4.7	1.5	0.2	*	*	17.2
41	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.2	1.6	6.8	11.2	6.1	1.3	0.1	*	*	27.2
	4	-	-	-	*	*	0.1	1.0	5.7	14.3	12.7	4.3	0.5	*	*	38.5
	5	-	-	-	-	*	*	0.1	0.7	2.0	2.4	1.3	0.3	*	*	6.8
	6	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	*	*	0.3	2.7	13.2	27.6	21.4	7.0	0.9	0.1	*	73.3
51	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.0
	4	-	-	-	*	*	*	0.1	0.5	1.1	0.8	0.2	*	-	-	2.8
	5	-	-	-	-	*	*	*	0.2	0.4	0.3	0.2	*	*	*	1.1
	6	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
TOTAL----		-	-	-	*	*	0.3	1.1	1.9	1.4	0.5	0.1	*	*	-	5.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	-	*	*	*	*	*	*	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
42	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	*	1.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.5	0.9	0.7	0.3	*	*	*	2.6
52	1-2	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3

* Less than 0.05 percent.

Table 14. -- **North Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

Average Staple 35.2
Percent Tenderable 84.1

1,257,498 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. — *Oklahoma*: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	0.1	0.3	0.9	2.1	3.5	4.6	1.2	0.1	-	12.7
	3	-	-	-	-	0.1	0.2	0.4	1.1	2.4	3.2	4.2	1.3	0.2	-	13.1
	4	-	-	-	-	-	-	-	0.1	0.2	0.2	0.2	-	-	-	0.8
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.3	0.7	2.1	4.8	6.9	9.0	2.5	0.3	-	26.7
31	1-2	-	-	-	-	-	0.1	0.2	0.6	1.0	1.7	2.1	0.5	-	-	6.2
	3	-	-	-	0.1	0.3	0.7	1.5	3.0	4.9	7.1	10.9	3.7	0.5	-	32.7
	4	-	-	-	0.1	0.3	0.5	1.0	1.5	2.0	2.1	1.9	0.6	0.1	-	10.0
	5	-	-	-	-	-	0.1	0.2	0.3	0.4	0.3	0.2	0.1	-	-	1.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	0.2	0.6	1.4	2.9	5.4	8.2	11.2	15.1	4.9	0.7	-	50.7
41	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	0.1	0.1	0.3	0.5	0.6	0.7	0.6	0.1	-	-	3.0
	4	-	-	-	0.1	0.2	0.4	0.7	0.9	1.0	0.9	0.7	0.1	-	-	4.9
	5	-	-	-	-	0.1	0.2	0.4	0.5	0.5	0.5	0.4	0.1	-	-	2.9
	6	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	0.6
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	0.1	0.4	0.9	1.4	1.9	2.2	2.2	1.8	0.3	0.1	-	11.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-	0.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	0.6
	3	-	-	-	-	-	0.1	0.1	0.2	0.2	0.2	0.1	-	-	-	1.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.1	0.3	0.3	0.4	0.3	0.3	-	-	-	1.8
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	3	-	-	-	-	-	0.1	0.2	0.3	0.4	0.4	0.2	-	-	-	1.8
	4	-	-	-	-	0.1	0.1	0.2	0.2	0.2	0.2	0.1	-	-	-	1.2
	5	-	-	-	-	-	-	-	0.1	0.1	-	-	-	-	-	0.4
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	0.1	0.3	0.4	0.6	0.8	0.7	0.4	0.1	-	-	3.5
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	-	-	-	-	0.4
	4	-	-	-	-	-	0.1	0.2	0.2	0.2	0.2	0.1	-	-	-	1.0
	5	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	0.1	-	-	-	0.7
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	-	0.1	0.3	0.4	0.4	0.5	0.4	0.2	-	-	-	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	-	*	*	*	*	*	*	*	*	-	0.2
	4	-	*	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	*	-	*	*	*	*	*	*	*	0.1	*	*	-	0.3
33	1-2	-	-	-	*	*	*	*	*	*	*	*	-	*	-	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	1.1
43	1-2	-	-	*	*	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.3
	5	-	-	*	*	*	*	*	*	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
53	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	7	-	*	*	*	*	*	*	*	-	*	-	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	-	-	-	*	*	-	-	-	*
24-54	1-7	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2
25-35	1-7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
81-85 1/	1-7	-	-	-	-	*	-	-	-	*	*	*	-	-	-	*
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	-	*	-	-	0.1
TOTAL, ALL-----		-	*	0.1	0.5	1.6	3.5	6.6	11.4	17.5	22.4	27.1	8.0	1.1	0.1	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	9.1															
Bark - Level 2	*															
Grass - Level 1	0.1															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

183,704 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	-	*	-	-	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	3	-	-	-	*	*	0.4	1.5	4.1	7.3	4.6	0.9	*	*	-	18.8
	4	-	-	-	*	*	0.1	0.3	0.8	1.8	1.9	0.7	0.1	*	*	5.7
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	0.5	1.9	5.0	9.2	6.6	1.6	0.2	*	*	25.1
41	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	*	*	*	0.3	1.8	7.5	14.1	7.2	1.5	0.1	*	*	32.5
	4	-	-	-	*	*	0.2	1.2	4.5	10.2	8.5	3.5	0.7	0.1	*	28.8
	5	-	-	-	*	*	0.1	0.2	0.6	1.2	1.1	0.8	0.3	*	*	4.4
	6	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL----	-	-	*	*	0.1	0.6	3.2	12.8	25.7	16.9	5.9	1.0	0.1	*	66.2
51	1-2	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.4	0.4	0.2	0.2	*	*	*	-	1.1
	4	-	-	-	-	*	0.2	0.7	1.0	0.6	0.3	*	-	*	*	2.8
	5	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	*	*	*	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.5	1.3	1.7	1.0	0.5	0.1	*	*	5.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.5
42	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.4	0.6	0.4	0.1	*	-	-	1.7
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	*	0.2

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL-----		-	-	*	*	0.1	1.2	5.8	20.0	37.7	25.3	8.3	1.3	0.1	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.4														
Bark - Level 2		*														
Grass - Level 1		0.7														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

402,495 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	3	-	-	-	-	*	*	0.3	0.8	1.0	0.6	0.1	*	*	-	2.8
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.4	1.0	1.3	0.7	0.1	*	*	-	3.6
31	1-2	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
	3	-	-	*	*	*	0.5	2.7	8.1	10.7	6.0	1.5	*	*	-	29.6
	4	-	-	-	*	*	0.1	0.6	2.8	6.4	6.0	2.1	0.1	*	*	18.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	0.5
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	*	0.5	3.4	11.3	17.5	12.3	3.7	0.2	*	*	48.9
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.2	1.1	3.3	4.6	3.3	1.1	*	*	-	13.6
	4	-	-	-	*	*	0.1	0.7	2.8	7.1	8.5	4.1	0.3	*	*	23.6
	5	-	-	-	-	*	*	*	0.2	0.6	1.2	0.8	0.1	*	*	2.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	*	*	0.3	1.9	6.3	12.4	13.0	5.9	0.4	*	*	40.2
51	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.2	*	*	-	1.4
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.7	0.7	0.3	*	*	*	2.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	4	-	-	-	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.4
42	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.4	*	*	-	1.5
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.6	0.8	0.6	*	*	-	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2

* Less than 0.05 percent.

Table 17. -- **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
43	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	0.5
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL, ALL-----		-	-	*	*	0.1	1.0	6.2	19.8	33.0	28.1	11.0	0.7	*	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		*														

Average Staple 35.2
Percent Tenderable 76.2

1,310,895 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. — **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	*	0.1	0.3	0.6	1.3	2.5	3.4	2.9	0.5	0.1	*	11.5
	3	-	*	*	0.1	0.2	0.4	0.9	2.5	5.9	9.1	10.1	2.7	0.6	0.1	32.5
	4	-	*	*	*	*	*	0.1	0.2	0.5	0.9	1.0	0.3	0.1	*	3.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		*	*	*	0.1	0.3	0.7	1.6	4.1	8.9	13.3	14.0	3.6	0.8	0.1	47.5
31	1-2	*	*	*	*	*	0.1	0.2	0.3	0.4	0.5	0.3	*	*	*	1.8
	3	*	*	*	*	0.1	0.4	1.1	2.7	4.5	5.7	5.9	1.7	0.4	*	22.4
	4	-	*	*	*	*	0.1	0.4	1.0	2.1	2.9	3.4	1.2	0.3	*	11.5
	5	-	*	*	*	*	*	0.1	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	0.2	0.6	1.7	4.1	7.3	9.4	10.0	3.1	0.7	0.1	37.3
41	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	*	0.2	0.4	0.5	0.5	0.4	0.1	*	*	2.1
	4	-	*	*	*	*	*	0.2	0.4	0.8	0.9	1.2	0.4	0.1	*	4.0
	5	-	*	*	*	*	*	0.1	0.1	0.2	0.4	0.5	0.2	*	*	1.5
	6	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	*	0.1	0.4	1.0	1.7	1.9	2.1	0.6	0.1	*	8.0
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	0.8
61	1-2	-	-	-	-	*	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	-	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	*	*	*	*	0.1	0.1	0.1	0.2	0.3	0.3	0.2	*	*	*	1.3
	4	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	0.1	0.2	0.2	0.2	0.3	0.4	0.4	0.3	*	*	*	2.1
32	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	*	*	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	0.9
	4	*	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		*	*	*	*	*	0.1	0.1	0.3	0.4	0.4	0.3	0.1	*	*	1.8
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	*	*	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.1
52	1-2	-	-	*	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		*	*	*	*	*	*	*	*	*	0.1	*	*	*	*	0.2

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	*	*	-	-	-	-	*	*	*	*	-	-	-	*
	7	*	*	*	-	-	-	-	*	*	-	-	*	-	-	*
TOTAL----		*	*	*	-	*	*	*	*	*	*	*	*	*	-	*
13 & 23	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	*	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	-	*	-	-	-	*
TOTAL----		*	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
53	1-2	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	3	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	*	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
81-85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
All Colors	2/	*	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL, ALL-----		*	*	0.1	0.3	0.8	1.9	4.3	10.2	19.5	26.2	27.3	7.5	1.6	0.2	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	18.7															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

5,710,359 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
31	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.9	2.4	2.4	1.2	0.1	*	-	7.1
	4	-	-	-	-	*	*	0.1	0.5	1.8	2.2	1.3	0.2	*	*	6.0
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	1.4	4.3	4.6	2.5	0.3	*	*	13.4
41	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	1.0	4.9	9.8	7.2	3.0	0.3	*	-	26.4
	4	-	-	-	*	*	*	0.6	4.1	14.7	16.2	7.1	1.0	*	*	43.8
	5	-	-	-	-	-	*	0.1	0.4	1.7	2.6	1.3	0.1	*	*	6.2
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	1.7	9.5	26.4	26.0	11.6	1.5	*	*	76.8
51	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	0.2	0.4	0.5	0.2	0.1	*	-	-	1.4
	4	-	-	-	*	*	*	0.1	0.6	1.3	0.8	0.2	*	-	-	3.0
	5	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	-	-	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.3	1.0	2.1	1.2	0.3	*	*	-	5.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.4
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	-	-	0.8
42	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	0.3	0.3	0.2	0.1	*	-	-	1.0
	4	-	-	-	-	-	*	0.1	0.4	0.8	0.7	0.2	*	*	-	2.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	0.6	1.2	1.1	0.3	*	*	-	3.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
April 26, 2007

QUALITY		LEAF	STAPLE														
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	*	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	-	-	-	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1	
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	*	-	-	-	-	-	*	-	-	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL----		-	-	-	*	*	0.2	2.4	12.8	34.3	33.4	15.0	1.9	*	*	100.0	
EXTRANEEOUS MATTER																Average Staple	35.5
																Percent Tenderable	86.6
Bark - Level 1		0.3															
Bark - Level 2		-															
Grass - Level 1		1.2															
Grass - Level 2		"															
Prep - Level 1		0.2															
Prep - Level 2		-															
Other - Level 1		-															
Other - Level 1		-															

141,466 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through April 26, 2007

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	*	0.1	-	*	*	*	0.5	*	-
25	*	0.1	*	*	*	*	0.6	*	*
26	*	0.1	*	*	0.1	*	0.9	*	*
27	*	0.2	*	0.1	0.1	*	1.3	*	*
28	*	0.2	*	0.1	0.1	*	1.5	*	*
29	*	0.3	*	0.1	0.1	*	1.8	*	*
30	*	0.4	*	0.2	0.1	*	2.5	*	*
31	*	0.5	*	0.2	0.1	0.1	3.1	*	*
32	0.1	0.6	*	0.3	0.2	0.1	4.0	*	*
33	0.1	0.7	*	0.5	0.3	0.2	4.3	*	0.1
34	0.2	1.0	0.1	0.7	0.6	0.3	3.9	*	0.2
35	0.3	1.3	0.2	1.2	0.8	0.4	4.2	0.1	0.3
36	0.5	1.6	0.4	1.9	1.0	0.6	4.4	0.2	0.5
37	0.7	2.2	0.8	3.1	1.4	0.8	4.5	0.3	0.7
38	1.0	2.8	1.4	4.2	1.8	1.1	4.8	0.5	1.0
39	1.6	3.8	2.5	5.8	2.1	1.5	4.3	0.8	1.4
40	2.3	4.4	3.9	7.2	2.9	2.1	4.2	1.3	2.1
41	3.2	4.8	5.7	8.8	3.7	2.8	4.3	2.0	3.0
42	4.4	5.1	7.5	10.2	4.8	3.8	4.8	2.9	4.3
43	5.8	5.6	9.3	10.7	6.0	5.0	5.3	4.1	5.7
44	7.5	6.5	10.5	10.9	7.5	6.5	5.9	5.7	6.9
45	8.8	7.6	10.7	10.1	8.7	8.2	5.2	7.8	8.2
46	9.6	8.4	10.4	8.7	10.3	10.0	5.5	10.5	9.4
47	10.4	8.7	9.9	5.9	11.2	11.5	4.2	13.6	10.6
48	10.3	8.3	8.7	3.6	10.6	12.0	3.8	15.8	11.2
49	9.6	7.8	6.8	2.4	9.7	11.1	2.8	14.8	10.7
50	8.2	6.3	4.8	1.4	7.2	8.8	2.1	10.3	9.0
51	6.4	4.7	3.1	0.8	4.3	6.3	1.9	5.5	6.5
52	4.3	3.1	1.7	0.4	2.5	3.9	1.5	2.3	4.2
53	2.4	1.8	0.9	0.2	1.1	1.8	1.0	0.9	2.5
54	1.1	0.7	0.4	*	0.5	0.6	0.5	0.3	1.2
55	0.5	0.2	0.1	*	0.2	0.2	0.3	0.1	0.4
56	0.2	0.1	*	*	0.1	*	0.1	*	0.1
57	0.1	*	*	*	*	*	*	*	*
58	*	-	*	-	*	*	-	-	*
59	*	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	47	45	45	43	46	47	40	47	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	*	-	-
19	-	-	-	-	-	-	*	-	-
20	*	*	-	-	*	*	*	-	-
21	*	*	*	-	*	*	*	*	*
22	*	*	*	-	*	*	0.1	*	*
23	0.1	0.1	*	*	*	*	0.1	0.2	0.1
24	0.6	0.3	0.1	*	0.3	0.2	0.6	1.0	0.8
25	2.8	1.2	0.5	*	1.8	1.7	1.8	4.5	3.0
26	9.0	3.3	1.9	0.2	7.8	6.6	5.0	14.0	8.3
27	19.1	6.8	6.8	0.9	21.6	17.1	16.3	24.1	16.1
28	25.1	12.3	17.1	2.2	33.7	28.3	21.9	23.9	21.6
29	21.1	18.6	25.8	3.9	22.2	25.3	17.8	16.9	21.2
30	12.6	21.4	25.2	6.1	8.5	13.4	15.2	9.3	15.7
31	5.9	18.0	14.9	7.2	2.8	5.1	12.9	4.1	8.4
32	2.4	10.7	5.7	8.2	0.9	1.6	5.7	1.4	3.4
33	0.9	4.8	1.4	11.8	0.2	0.5	1.8	0.4	0.9
34	0.3	1.7	0.4	19.5	*	0.1	0.5	0.1	0.4
35	0.1	0.5	0.1	21.1	*	*	0.1	*	0.1
36 & above	*	0.1	*	18.8	*	*	*	*	*
Average strength	28.3	29.8	29.4	33.5	28.1	28.4	28.9	27.8	28.5

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through
April 26, 2007

MIKE AND FIBER STRENGTH		MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE	24 & below	-	0.4	*	0.1	*	*	1.4	-	0.4
	25	-	0.2	*	0.1	*	*	1.0	-	0.3
	26	*	0.5	*	0.1	*	*	1.3	-	0.4
	27	*	0.8	*	0.2	*	*	1.7	-	0.5
	28	*	0.9	*	0.4	*	*	2.0	-	0.6
	29	0.1	1.2	*	0.3	*	*	2.4	*	0.7
	30	0.2	1.4	*	0.4	0.1	*	2.7	*	0.8
	31	0.3	2.1	*	0.5	0.1	*	2.9	*	0.9
	32	0.5	2.7	*	0.7	0.2	0.1	3.1	*	1.0
	33	0.8	4.4	*	0.8	0.2	0.1	3.3	*	1.1
	34	1.2	6.0	0.1	1.0	0.3	0.1	3.6	0.1	1.2
	35	1.6	7.6	0.2	1.2	0.5	0.2	3.8	0.2	1.4
	36	2.2	8.7	0.3	1.5	0.7	0.4	4.0	0.4	1.7
	37	3.1	9.0	0.5	1.8	1.1	0.6	4.2	0.8	2.0
	38	4.2	10.2	1.0	2.1	1.5	0.9	4.6	1.2	2.4
	39	5.4	10.1	2.0	2.5	2.3	1.4	4.9	2.2	3.0
	40	6.9	8.3	3.6	3.1	3.2	2.1	5.3	3.4	3.8
	41	8.1	7.2	5.9	3.9	4.4	3.2	5.7	5.5	4.8
	42	9.0	6.5	8.5	4.7	5.9	4.6	6.0	7.7	5.8
	43	9.6	4.8	10.4	5.5	7.3	6.2	6.1	10.0	6.8
	44	9.6	3.2	11.1	6.4	8.6	8.0	5.8	12.2	7.6
	45	9.3	1.7	11.3	7.6	9.5	9.7	5.4	13.0	8.1
	46	8.2	0.9	10.7	8.5	10.2	11.0	4.8	11.8	8.4
	47	6.9	0.6	9.6	9.3	10.2	11.7	4.1	10.1	8.5
	48	5.5	0.3	8.1	9.4	9.4	11.1	3.2	8.1	8.0
	49	3.5	0.1	6.3	8.5	8.1	9.4	2.4	5.8	6.9
	50	2.0	*	4.5	7.1	6.2	7.1	1.7	3.5	5.2
	51	1.0	*	2.9	5.1	4.6	4.8	1.1	2.0	3.5
	52	0.5	*	1.6	3.2	3.0	3.2	0.7	1.2	2.1
	53	0.2	*	0.7	1.9	1.5	2.0	0.3	0.6	1.1
	54	0.1	*	0.3	1.0	0.6	1.3	0.2	0.3	0.5
	55	*	-	0.1	0.5	0.1	0.6	0.1	*	0.2
	56	*	-	*	0.3	*	0.1	*	*	*
	57	*	-	*	0.1	*	*	*	*	*
	58	*	-	*	*	*	*	*	-	*
	59	-	-	-	*	-	*	*	-	*
	60 & above	-	-	-	*	-	-	*	-	*
Average mike		43	38	45	45	46	46	39	45	46
FIBER STRENGTH 1/										
FIBER STRENGTH 1/	17 & below	-	-	-	*	-	-	*	-	*
	18	-	-	-	*	-	-	*	-	*
	19	-	-	-	*	-	-	*	-	*
	20	-	-	-	*	-	-	*	-	*
	21	-	*	-	*	-	-	0.1	-	*
	22	*	*	*	0.1	*	*	0.2	*	0.1
	23	*	0.2	*	0.2	*	*	0.7	*	0.2
	24	0.1	1.0	0.1	0.6	0.2	*	1.5	0.1	0.7
	25	0.3	3.3	0.5	1.5	0.9	0.3	3.3	0.4	2.0
	26	1.6	6.5	2.3	3.4	3.3	1.3	6.4	1.6	5.4
	27	5.8	8.7	7.8	6.3	9.0	4.7	10.3	5.7	11.2
	28	15.0	13.1	17.0	10.4	18.8	12.4	13.9	14.2	17.6
	29	25.2	17.5	24.2	13.0	25.2	23.0	16.7	23.5	20.4
	30	27.0	18.5	21.4	13.8	21.5	26.3	17.4	23.5	18.0
	31	16.4	12.9	13.9	13.7	12.5	18.5	14.6	15.9	12.0
	32	6.3	9.0	7.6	12.3	5.7	8.9	9.0	8.7	6.2
	33	1.8	5.5	3.6	9.9	2.2	3.3	3.9	4.4	2.8
	34	0.4	2.6	1.3	7.2	0.6	1.0	1.3	1.7	1.5
	35	0.1	1.1	0.2	4.3	0.1	0.2	0.4	0.3	1.0
	36 & above	*	0.1	0.1	3.1	*	*	0.1	0.1	0.8
Average strength		29.6	29.4	29.5	30.6	29.2	29.8	29.2	29.8	29.2

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through April 26, 2007

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-
73.5-74.4	-	*	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	*	*	*
75.5-76.4	*	0.1	*	*	*	*	0.1	0.1	*
76.5-77.4	0.4	0.5	0.1	*	0.2	0.5	0.4	1.1	0.5
77.5-78.4	3.8	1.9	0.6	0.4	2.3	4.6	2.4	7.1	3.4
78.5-79.4	14.6	7.3	3.2	1.8	13.2	16.9	11.1	22.9	12.7
79.5-80.4	28.9	21.0	11.0	5.4	40.7	33.9	31.0	29.9	24.7
80.5-81.4	30.6	34.0	23.7	12.5	30.1	26.7	36.0	21.9	28.8
81.5-82.4	16.8	26.5	37.6	27.4	9.9	11.9	16.6	12.7	22.0
82.5-83.4	4.4	7.7	20.6	33.5	3.2	4.4	2.4	3.8	7.3
83.5-84.4	0.4	0.9	3.0	14.3	0.3	0.9	0.1	0.4	0.6
84.5-85.4	*	*	0.2	3.8	*	*	*	*	*
85.5-86.4	*	*	*	0.7	-	*	-	*	*
86.5-87.4	-	-	-	*	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.0	81.7	82.5	80.4	80.4	80.6	80.2	80.8
TRASH 2/									
0.0	-	*	*	*	-	-	-	*	*
0.1	1.6	32.1	0.5	21.5	0.4	0.8	0.8	3.1	1.6
0.2	15.2	42.6	5.5	42.5	9.9	14.0	8.0	19.8	11.0
0.3	29.1	14.5	17.2	21.2	29.9	30.8	17.1	30.1	20.5
0.4	24.8	4.3	23.9	8.1	30.0	25.7	16.0	21.1	20.6
0.5	15.1	2.2	21.6	3.2	17.5	15.0	15.9	12.7	16.7
0.6	6.9	1.4	15.1	1.5	7.6	7.9	12.9	6.6	12.3
0.7	3.7	1.0	8.6	0.7	2.8	3.1	10.2	3.4	7.7
0.8	1.7	0.7	4.5	0.4	1.2	1.5	6.4	1.7	4.7
0.9	0.8	0.4	1.5	0.3	0.3	0.6	4.5	0.7	2.1
1.0	0.5	0.3	0.8	0.2	0.2	0.3	2.6	0.4	1.3
1.1	0.3	0.2	0.4	0.1	0.1	0.2	1.7	0.2	0.8
1.2	0.2	0.1	0.2	0.1	*	0.1	1.1	0.1	0.4
1.3	0.1	0.1	0.1	*	*	*	0.6	*	0.1
1.4	0.1	0.1	*	*	*	*	0.5	*	0.1
1.5	*	*	*	*	*	*	0.4	*	*
1.6	*	*	*	*	-	*	0.3	*	*
1.7	*	*	*	*	*	*	0.2	*	*
1.8 & above	*	*	*	*	*	*	0.8	*	*
Average trash	0.39	0.22	0.48	0.24	0.40	0.39	0.55	0.37	0.47

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through April 26, 2007

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	*	-	*
72.5-73.4	-	-	-	*	-	-	*	-	*
73.5-74.4	-	-	-	*	-	-	*	-	*
74.5-75.4	-	*	-	*	-	-	0.1	-	*
75.5-76.4	-	*	-	0.2	-	-	0.3	-	0.1
76.5-77.4	*	0.2	*	0.9	*	*	1.1	*	0.5
77.5-78.4	0.1	1.5	0.2	3.3	0.8	0.1	3.6	*	2.7
78.5-79.4	0.5	7.5	1.5	9.2	5.5	0.6	9.9	0.5	9.0
79.5-80.4	3.0	16.4	6.9	19.4	19.3	3.7	20.9	3.4	19.0
80.5-81.4	14.0	32.3	21.0	28.5	35.0	15.6	30.4	14.6	25.6
81.5-82.4	36.0	26.9	36.6	24.6	28.2	35.6	24.2	37.2	25.5
82.5-83.4	37.3	12.5	27.1	11.4	9.7	33.3	8.3	35.2	14.2
83.5-84.4	8.7	2.4	6.4	2.3	1.4	10.2	1.1	8.5	3.1
84.5-85.4	0.6	0.2	0.4	0.2	0.1	0.9	0.1	0.6	0.3
85.5-86.4	*	*	*	-	*	*	*	*	*
86.5-87.4	-	-	*	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.3	81.2	82.0	81.0	81.2	82.3	80.9	82.3	81.2
TRASH 2/									
0.0	-	-	-	*	-	-	*	-	*
0.1	0.1	11.4	*	10.9	0.1	0.4	7.1	*	4.4
0.2	3.5	37.8	2.0	28.8	5.1	7.3	26.0	1.2	16.4
0.3	14.4	27.5	11.7	24.8	20.9	19.9	25.1	9.0	22.5
0.4	22.9	12.0	19.8	13.1	24.2	24.1	16.5	18.5	20.0
0.5	23.2	6.1	23.3	9.0	21.0	20.4	10.5	24.6	15.2
0.6	17.1	2.8	18.0	5.3	13.3	13.5	6.2	20.4	9.8
0.7	10.2	1.2	11.4	3.3	7.4	7.6	3.7	13.2	5.6
0.8	5.2	0.5	6.4	1.8	3.9	3.9	2.1	7.1	3.1
0.9	1.7	0.2	3.1	1.1	1.9	1.4	1.2	3.1	1.3
1.0	0.9	0.1	1.7	0.6	1.0	0.8	0.7	1.4	0.7
1.1	0.4	0.1	1.0	0.4	0.6	0.4	0.4	0.8	0.4
1.2	0.2	*	0.6	0.3	0.3	0.2	0.2	0.4	0.2
1.3	0.1	*	0.3	0.2	0.1	0.1	0.1	0.1	0.1
1.4	*	*	0.2	0.1	0.1	*	0.1	0.1	0.1
1.5	*	*	0.1	0.1	*	*	*	*	*
1.6	*	*	0.1	0.1	*	*	*	*	*
1.7	*	*	*	*	*	*	*	*	*
1.8 & above	*	*	0.2	0.1	*	*	*	*	*
Average trash	0.51	0.28	0.55	0.34	0.48	0.47	0.36	0.56	0.41

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. — Quality of American Pima cotton classed for producers by State and United States through April 26, 2007

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	7.5	1.5	*	0.1	1.5
	2	11.7	2.3	0.2	0.3	2.3
	3	*	*	*	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total		19.3	3.9	0.3	0.5	3.8
02	1	4.7	2.6	*	1.0	2.4
	2	68.6	65.2	36.7	69.1	64.6
	3	1.6	13.9	40.6	5.0	13.9
	4	-	0.4	0.6	-	0.4
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total		75.0	82.0	77.9	75.1	81.4
03	1	-	*	*	-	*
	2	2.1	4.5	2.5	18.0	5.2
	3	1.3	6.9	14.7	5.2	6.9
	4	0.1	1.2	2.7	*	1.1
	5	*	0.1	*	-	0.1
	6	-	*	-	-	*
	7	-	*	-	-	*
Total		3.6	12.7	20.0	23.3	13.4
04	1	-	*	-	-	*
	2	0.8	0.2	*	0.1	0.2
	3	0.4	0.5	0.1	0.1	0.5
	4	0.1	0.3	0.2	0.1	0.3
	5	0.3	0.1	0.3	*	0.1
	6	*	*	-	-	*
	7	-	*	-	-	*
Total		1.7	1.2	0.7	0.3	1.1
05	1	-	-	-	-	-
	2	0.1	*	-	-	*
	3	0.1	0.1	*	0.1	0.1
	4	*	0.1	0.1	0.5	0.1
	5	0.1	*	0.7	*	*
	6	*	*	0.1	-	*
	7	*	-	-	-	*
Total		0.4	0.2	0.9	0.6	0.3
06	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	*	-	-	*
	4	-	*	*	0.2	*
	5	-	*	0.2	*	*
	6	-	*	*	-	*
	7	-	-	-	-	-
Total		-	*	0.2	0.3	0.1
07	1	-	-	-	-	-
	2	-	*	-	*	*
	3	*	*	*	-	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	-	*	-	*
	7	-	-	*	-	*
Total		*	*	*	*	*
STAPLE						
40 & shorter		17.0	1.3	6.4	16.6	2.6
42		-	*	*	0.2	*
44		43.4	79.9	44.4	24.0	75.0
46		39.6	18.8	49.1	59.1	22.4
48 & longer		-	-	-	-	-
Average		46.6	48.0	46.8	46.2	47.8
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	*	-	-	*
73.5-74.4		0.1	0.3	0.3	0.4	0.3
74.5-75.4		1.0	1.4	2.0	2.0	1.5
75.5-76.4		-	-	-	-	-
76.5-77.4		19.2	15.5	24.3	23.8	16.3
77.5-78.4		*	*	-	-	*
78.5-79.4		3.0	1.2	0.5	0.8	1.2
79.5-80.4		0.1	*	*	*	*
80.5-81.4		-	-	-	-	-
81.5-82.4		-	-	-	-	-
82.5-83.4		5.1	5.3	8.7	8.2	5.5
83.5-84.4		11.1	8.3	6.1	6.0	8.1
84.5-85.4		-	-	-	-	-
85.5-86.4		-	-	-	-	-
86.5-87.4		-	*	*	*	*
87.5-88.4		*	*	0.1	0.1	*
88.5-89.4		38.7	37.9	35.5	36.8	37.8
89.5 & above		21.7	30.1	22.5	22.0	29.3
Average		85.2	85.2	84.9	84.9	85.2
BALES CLASSED		40,176	#####	64,881	124,683	#####

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through April 26, 2007

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	*	-	-	*
25 - 26	-	-	-	-	-
27 - 29	74.9	73.1	59.5	63.6	72.2
30 - 32	0.5	3.1	3.7	3.5	3.1
33 - 34	0.9	2.0	6.5	4.9	2.3
35 - 36	5.5	3.6	13.7	10.1	4.3
37 - 42	-	*	*	*	*
43 - 49	0.2	1.0	0.7	0.2	0.9
50 - 52	18.0	17.2	15.8	17.8	17.2
53 & above	-	-	-	-	-
Average	40	40	39	39	40
ALL MIKE					
24 & below	-	*	-	-	*
25	*	0.3	0.2	*	0.3
26	1.8	1.3	5.9	4.0	1.6
27	13.0	12.6	11.3	12.8	12.5
28	0.1	*	0.6	1.1	0.1
29	0.1	0.6	0.4	0.1	0.5
30	0.6	1.0	4.1	2.5	1.1
31	3.7	2.3	7.8	6.1	2.7
32	4.9	4.5	10.3	9.4	5.0
33	-	*	*	-	*
34	0.2	0.9	0.9	0.5	0.9
35	0.2	1.0	2.4	2.4	1.1
36	1.8	1.6	3.1	3.3	1.7
37	-	-	-	-	-
38	-	0.1	0.1	*	0.1
39	0.2	1.1	1.2	1.2	1.1
40	18.5	17.0	8.8	10.2	16.4
41	*	*	0.1	0.5	*
42	-	-	-	-	-
43	-	-	-	-	-
44	-	-	-	-	-
45	6.6	8.0	11.6	11.4	8.3
46	16.0	15.1	7.2	7.7	14.4
47	10.8	10.2	5.9	6.1	9.9
48	0.4	0.3	1.7	2.1	0.4
49	-	-	-	-	-
50	-	-	-	-	-
51	0.1	1.1	1.7	1.8	1.1
52	4.9	5.0	4.4	4.5	5.0
53	*	*	*	0.2	*
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	*	*	*	*
58	-	-	-	-	-
59	15.9	16.0	10.4	12.1	15.6
60 & above	-	-	-	-	-
Average	40	40	39	39	40
Strength					
17 & below	*	0.1	0.4	0.5	0.2
18	6.9	2.7	10.9	10.2	3.5
19	9.4	4.8	14.4	16.1	5.8
20	15.5	14.3	14.9	16.1	14.4
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	*	*	-	*
28	3.2	4.2	1.1	0.8	3.9
29	-	-	-	-	-
30	-	-	-	-	-
31	11.9	18.5	9.2	7.9	17.5
32	2.0	2.3	0.4	0.5	2.2
33	-	-	-	-	-
34	11.7	8.8	15.4	18.6	9.6
35	7.5	14.5	5.6	4.2	13.5
36	-	*	0.2	0.1	*
37	0.8	0.4	1.6	1.3	0.5
38	-	-	-	-	-
39	-	-	-	-	-
40	5.8	1.7	6.9	5.9	2.2
41	17.0	17.9	12.6	12.7	17.4
42	5.3	8.7	2.7	2.0	8.1
43	-	*	*	*	*
44	*	*	*	*	*
45 & above	2.9	0.9	3.7	3.0	1.2
Average	39.2	40.3	38.3	38.2	40.1
EXTRANEEOUS MATTER					
Bark	1.1	0.2	3.5	2.5	0.4
Grass	1.1	0.1	*	*	0.1
Spindle Twist	*	0.4	*	*	0.4
Preparation	2.4	0.1	0.3	0.2	0.1

* Less than 0.05 percent.



1022897637

Experiment No.	Sample	Grain Yield	Grain Quality	Grain Moisture	Grain Protein	Grain Oil	Grain Ash
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100